

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(ching-lung same yang).in.	USPAT	AND	ON	2005/10/26 08:43
L2	2	(ching-lung same yang).in.	US-PGPUB; USPAT	AND	ON	2005/10/26 08:43
L3	1	(cateron).as.	US-PGPUB; USPAT	AND	ON	2005/10/26 08:43
L4	8717	(electromagnetic\$3 or emi) with (stagger\$3 or alternat\$3)	USPAT	AND	ON	2005/10/26 08:43
L5	20	(electromagnetic\$3 or emi) with (stagger\$3 or alternat\$3) near2 block	USPAT	AND	ON	2005/10/26 08:43
L6	1	(electromagnetic\$3 or emi) with (stagger\$3) near2 block	USPAT	AND	ON	2005/10/26 08:43
L7	173	(electromagnetic\$3 or emi) with (stagger\$3)	USPAT	AND	ON	2005/10/26 08:43
L8	2389	(electromagnetic\$3 or emi) with resin	USPAT	AND	ON	2005/10/26 08:43
L9	66	(electromagnetic\$3 or emi) with resin with (aluminum or ("al.sub.2" adj "o.sub.3."))	USPAT	AND	ON	2005/10/26 08:43
L10	237	(electromagnetic\$3 or emi) near2 resin	USPAT	AND	ON	2005/10/26 08:43
L11	2389	(electromagnetic\$3 or emi) with resin	USPAT	AND	ON	2005/10/26 08:43
L12	148	(electromagnetic\$3 or emi) with resin with structure	USPAT	AND	ON	2005/10/26 08:43
L13	609	(electromagnetic\$3 or emi) with resin with (layer or film)	USPAT	AND	ON	2005/10/26 08:43
L14	81	(electromagnetic\$3 or emi) with resin with (layer or film) and (layer or film) with alternat\$3	USPAT	AND	ON	2005/10/26 08:43
L15	3	(electromagnetic\$3).ab. and electomagnetic\$3 with resin with (layer or film) and (layer or film)	USPAT	AND	ON	2005/10/26 08:43
L16	3	(electromagnetic\$3).ab. and electomagnetic\$3 with resin with (layer or film)	USPAT	AND	ON	2005/10/26 08:43
L17	434	(electromagnetic\$3 and resin ).ab.	USPAT	AND	ON	2005/10/26 08:43
L18	208	(electromagnetic\$3 with resin ).ab.	USPAT	AND	ON	2005/10/26 08:43
L19	0	electromagnetic\$3 with resin with stagger\$3	USPAT	AND	ON	2005/10/26 08:43
L20	16	electromagnetic\$3 and resin with stagger\$3	USPAT	AND	ON	2005/10/26 08:43
L21	1233	electromagnetic\$3 and conduct\$3 near2 resin	USPAT	AND	ON	2005/10/26 08:43

L22	114	electromagnetic\$3 with conduct\$3 near2 resin	USPAT	AND	ON	2005/10/26 08:43
L23	445	electromagnetic\$3 and conduct\$3 adj resin	USPAT	AND	ON	2005/10/26 08:43
L24	823	electromagnetic\$3 near2 wave near2 absorb\$3	USPAT	AND	ON	2005/10/26 08:43
L25	204	electromagnetic\$3 near2 wave near2 absorb\$3 near2 material	USPAT	AND	ON	2005/10/26 08:43
L26	1	"20040214496".pn.	US-PGPUB	AND	ON	2005/10/26 08:43
L27	1	L26 and wave	US-PGPUB	AND	ON	2005/10/26 08:43
L28	0	(carbon adj black) near2 stagger\$3	USPAT	AND	ON	2005/10/26 08:44
L29	1	(carbon adj black) with stagger\$3	USPAT	AND	ON	2005/10/26 08:44
L30	10868	(carbon adj black) with resin	USPAT	AND	ON	2005/10/26 08:44
L31	344	(carbon adj black) with resin and (conductive adj resin)	USPAT	AND	ON	2005/10/26 08:44
L32	953	(carbon adj black) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L33	141	(carbon adj black) with resin and (conductive near2 resin) and electromagnetic\$3	USPAT	AND	ON	2005/10/26 08:44
L34	0	(block or square) near2 (carbon adj black) with resin and (conductive near2 resin) and electromagnetic\$3	USPAT	AND	ON	2005/10/26 08:44
L35	0	(block or square) near2 (carbon adj black) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L36	561	(block or square) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L37	381	(block) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L38	181	(block or square) near3 resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L39	108	(block or square) near2 resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L40	3	checker\$3 with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L41	3	checker\$3 with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:44
L42	0	L26 and Figure	US-PGPUB	AND	ON	2005/10/26 08:44
L43	0	L26 and Fig\$3	US-PGPUB	AND	ON	2005/10/26 08:44
L44	0	L26 and "Fig.1"	US-PGPUB	AND	ON	2005/10/26 08:44
L45	1	"20040214496".pn.	US-PGPUB	AND	ON	2005/10/26 08:44
L46	0	L26 and "Fig."	US-PGPUB	AND	ON	2005/10/26 08:44
L47	1	L26 and compart\$3	US-PGPUB	AND	ON	2005/10/26 08:44

L48	6	"4040937"	USPAT	AND	ON	2005/10/26 08:44
L49	1	L26 and high	US-PGPUB	AND	ON	2005/10/26 08:44
L50	1	L26 and similar	US-PGPUB	AND	ON	2005/10/26 08:44
L51	61	polybutene near2 thermoplastic	USPAT	AND	ON	2005/10/26 08:44
L52	1	"6720082".pn.	USPAT	AND	ON	2005/10/26 08:44
L53	1	"6720082".pn.	USPAT	AND	ON	2005/10/26 08:44
L54	1	L53 and thermoplastic	USPAT	AND	ON	2005/10/26 08:44
L55	0	conduct\$3 near2 thermoplastic near2 resin same ("Al.sub.2" adj "O.sub.3")	USPAT	AND	ON	2005/10/26 08:44
S1	1	(ching-lung same yang).in.	USPAT	AND	ON	2005/10/26 08:41
S2	2	(ching-lung same yang).in.	US-PGPUB; USPAT	AND	ON	2005/10/26 08:41
S3	1	(cateron).as.	US-PGPUB; USPAT	AND	ON	2005/10/26 08:41
S4	8498	(electromagnetic\$3 or emi) with (stagger\$3 or alternat\$3)	USPAT	AND	ON	2005/10/26 08:41
S5	20	(electromagnetic\$3 or emi) with (stagger\$3 or alternat\$3) near2 block	USPAT	AND	ON	2005/10/26 08:41
S6	1	(electromagnetic\$3 or emi) with (stagger\$3) near2 block	USPAT	AND	ON	2005/10/26 08:41
S7	168	(electromagnetic\$3 or emi) with (stagger\$3)	USPAT	AND	ON	2005/10/26 08:41
S8	2333	(electromagnetic\$3 or emi) with resin	USPAT	AND	ON	2005/10/26 08:41
S9	66	(electromagnetic\$3 or emi) with resin with (aluminum or ("al.sub.2" adj "o.sub.3."))	USPAT	AND	ON	2005/10/26 08:41
S10	230	(electromagnetic\$3 or emi) near2 resin	USPAT	AND	ON	2005/10/26 08:41
S11	2333	(electromagnetic\$3 or emi) with resin	USPAT	AND	ON	2005/10/26 08:41
S12	143	(electromagnetic\$3 or emi) with resin with structure	USPAT	AND	ON	2005/10/26 08:41
S13	596	(electromagnetic\$3 or emi) with resin with (layer or film)	USPAT	AND	ON	2005/10/26 08:41
S14	76	(electromagnetic\$3 or emi) with resin with (layer or film) and (layer or film) with alternat\$3	USPAT	AND	ON	2005/10/26 08:41
S15	3	(electromagnetic\$3).ab. and electomagnetic\$3 with resin with (layer or film) and (layer or film)	USPAT	AND	ON	2005/10/26 08:41

S16	3	(electromagnetic\$3).ab. and electomagnetic\$3 with resin with (layer or film)	USPAT	AND	ON	2005/10/26 08:41
S17	429	(electromagnetic\$3 and resin ).ab.	USPAT	AND	ON	2005/10/26 08:41
S18	204	(electromagnetic\$3 with resin ).ab.	USPAT	AND	ON	2005/10/26 08:42
S19	0	electromagnetic\$3 with resin with stagger\$3	USPAT	AND	ON	2005/10/26 08:42
S20	16	electromagnetic\$3 and resin with stagger\$3	USPAT	AND	ON	2005/10/26 08:42
S21	1200	electromagnetic\$3 and conduct\$3 near2 resin	USPAT	AND	ON	2005/10/26 08:42
S22	108	electromagnetic\$3 with conduct\$3 near2 resin	USPAT	AND	ON	2005/10/26 08:42
S23	426	electromagnetic\$3 and conduct\$3 adj resin	USPAT	AND	ON	2005/10/26 08:42
S24	796	electromagnetic\$3 near2 wave near2 absorb\$3	USPAT	AND	ON	2005/10/26 08:42
S25	198	electromagnetic\$3 near2 wave near2 absorb\$3 near2 material	USPAT	AND	ON	2005/10/26 08:42
S26	1	"20040214496".pn.	US-PGPUB	AND	ON	2005/10/26 08:43
S27	1	S26 and wave	US-PGPUB	AND	ON	2005/10/26 08:42
S28	0	(carbon adj black) near2 stagger\$3	USPAT	AND	ON	2005/10/26 08:42
S29	1	(carbon adj black) with stagger\$3	USPAT	AND	ON	2005/10/26 08:42
S30	10710	(carbon adj black) with resin	USPAT	AND	ON	2005/10/26 08:42
S31	331	(carbon adj black) with resin and (conductive adj resin)	USPAT	AND	ON	2005/10/26 08:42
S32	925	(carbon adj black) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S33	140	(carbon adj black) with resin and (conductive near2 resin) and electromagnetic\$3	USPAT	AND	ON	2005/10/26 08:42
S34	0	(block or square) near2 (carbon adj black) with resin and (conductive near2 resin) and electromagnetic\$3	USPAT	AND	ON	2005/10/26 08:42
S35	0	(block or square) near2 (carbon adj black) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S36	540	(block or square) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S37	365	(block) with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S38	172	(block or square) near3 resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S39	101	(block or square) near2 resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42

S40	3	checker\$3 with resin and (conductive near2 resin)	USPAT	AND	ON	2005/10/26 08:42
S41	47	checker\$3 with resin	USPAT	AND	ON	2005/06/08 12:00
S42	0	S26 and Figure	US-PGPUB	AND	ON	2005/10/26 08:42
S43	0	S26 and Fig\$3	US-PGPUB	AND	ON	2005/10/26 08:42
S44	0	S26 and "Fig.1"	US-PGPUB	AND	ON	2005/10/26 08:43
S45	0	S26 and "Fig."	US-PGPUB	AND	ON	2005/10/26 08:43
S46	1	S26 and compart\$3	US-PGPUB	AND	ON	2005/10/26 08:43
S48	6	"4040937"	USPAT	AND	ON	2005/10/26 08:43
S49	1	S26 and high	US-PGPUB	AND	ON	2005/10/26 08:43
S50	1	S26 and similar	US-PGPUB	AND	ON	2005/10/26 08:43
S51	57	polybutene near2 thermoplastic	USPAT	AND	ON	2005/10/26 08:43
S52	1	"6720082".pn.	USPAT	AND	ON	2005/10/26 08:43
S53	1	S52 and thermoplastic	USPAT	AND	ON	2005/10/26 08:43
S54	0	conduct\$3 near2 thermoplastic near2 resin same ("Al.sub.2" adj "O.sub.3")	USPAT	AND	ON	2005/10/26 08:43
S55	2401	conduct\$3 resin same ("Al.sub.2" adj "O.sub.3")	USPAT	AND	ON	2005/06/08 11:09
S56	119	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3")	USPAT	AND	ON	2005/06/08 11:10
S57	36	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3") and resin near2 thermoplastic	USPAT	AND	ON	2005/06/08 11:13
S58	0	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3") and resin near2 thermoplastic with polybutene	USPAT	AND	ON	2005/06/08 11:11
S59	0	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3") and resin near2 thermoplastic and polybutene	USPAT	AND	ON	2005/06/08 11:11
S60	0	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3") and polybutene	USPAT	AND	ON	2005/06/08 11:11
S61	0	conduct\$3 with resin with ("Al.sub.2" adj "O.sub.3") and mother adj blank	USPAT	AND	ON	2005/06/08 11:13
S62	1	conduct\$3 with resin and mother adj blank	USPAT	AND	ON	2005/06/08 11:13
S63	2710	polymer not near2 (block or square) near3 resin and (conductive near2 resin)	USPAT	AND	ON	2005/06/08 11:58
S64	2710	polymer not with (block or square) near3 resin and (conductive near2 resin)	USPAT	AND	ON	2005/06/08 11:58
S65	172	(block or square) near3 resin and (conductive near2 resin)	USPAT	AND	ON	2005/06/08 11:58

S66	11	checker\$3 with electromagnetic\$3	USPAT	AND	ON	2005/06/08 14:26
S67	1	"5632942".pn.	USPAT	AND	ON	2005/06/08 14:26
S68	1	S67 and conduct\$3	USPAT	AND	ON	2005/06/08 14:28
S69	264	(aluminum adj oxide) near2 conductive	USPAT	AND	ON	2005/06/08 14:28
S70	28	(aluminum adj oxide) near2 conductive and electromagnetic\$3	USPAT	AND	ON	2005/06/08 14:28
S71	91	(magnetic adj recording) and (glass or ceramic) near2 conductive	USPAT	AND	ON	2005/06/08 14:33
S72	15	(magnetic adj recording).ab. and (glass or ceramic) near2 conductive	USPAT	AND	ON	2005/06/08 14:54
S73	2	planography adj printing with screen	USPAT	AND	ON	2005/06/08 15:10
S74	6724	(solvent or binder or plasticizer) near2 thermoplastic	USPAT	AND	ON	2005/06/08 15:10
S75	2291	thermoplastic adj (solvent or binder or plasticizer)	USPAT	AND	ON	2005/06/08 15:11
S76	225	thermoplastic adj (solvent or binder or plasticizer) with (glass or ceramic)	USPAT	AND	ON	2005/06/08 15:11
S77	1	thermoplastic adj (solvent or binder or plasticizer) with (glass or ceramic) and (magnetic near2 record\$3)	USPAT	AND	ON	2005/06/08 15:12
S78	2	thermoplastic adj (solvent or binder or plasticizer) near2 additive with (glass or ceramic)	USPAT	AND	ON	2005/06/08 15:12
S79	3	thermoplastic adj (solvent or binder or plasticizer) near2 additive same (glass or ceramic)	USPAT	AND	ON	2005/06/08 15:13